

11-17-00

A

UTILITY PATENT APPLICATION TRANSMITTAL <small>(Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))</small>		Attorney Docket Number 00-494-US	
		First Inventor or Application Identifier SOLTIS et al.	
		Title WEB-BASED DESIGN SYSTEM	
		Express Mail Label No. EL657602619US	
APPLICATION ELEMENTS <small>See MPEP chapter 600 concerning utility patent application contents.</small>		ADDRESS TO: Commissioner for Patents Box Patent Application Washington, DC 20231	
<div>1. <input checked="" type="checkbox"/> *Fee Transmittal Form (e.g., PTO/SB/17) <small>(Submit an original, and a duplicate for fee processing)</small></div> <div>2. <input checked="" type="checkbox"/> Specification [Total Pages 37] <small>(preferred arrangement set forth below)</small> -Descriptive title of the Invention -Cross References to Related Applications -Statement Regarding Fed sponsored R & D -Reference to Microfiche Appendix -Background of the Invention -Brief Summary of the Invention -Brief Description of the Drawings (if filed) -Detailed Description -Claim(s) -Abstract of the Disclosure</div> <div>3. <input checked="" type="checkbox"/> Drawing(s) (35 USC 113) [Total Sheets 6]</div> <div>4. <input checked="" type="checkbox"/> Oath or Declaration [Total Pages 2] a. <input checked="" type="checkbox"/> Newly executed (original or copy) b. <input type="checkbox"/> Copy from a prior application (37 CFR 1.63(d)) <small>(for continuation/divisional with Box 16 completed)</small> i. <input type="checkbox"/> DELETION OF INVENTOR(S) <small>Signed statement attached deleting inventor(s) named in the prior application, see §§ 37 CFR § 1.63(d)(2) and 1.33(b)</small> c. <input type="checkbox"/> Unsigned</div> <div><small>NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).</small></div>		<div>5. <input type="checkbox"/> Microfiche Computer Program (Appendix)</div> <div>6. Nucleotide and/or Amino Acid Sequence Submission <small>(if applicable, all necessary)</small> a. <input type="checkbox"/> Computer Readable Copy b. <input type="checkbox"/> Paper Copy (identical to computer copy) c. <input type="checkbox"/> Statement verifying identity of above copies</div>	
ACCOMPANYING APPLICATION PARTS			
<div>7. <input type="checkbox"/> Assignment Papers (cover sheet & document(s))</div> <div>8. <input type="checkbox"/> 37 CFR § 3.73(b) Statement <input checked="" type="checkbox"/> Power of Attorney <small>(when there is an assignee)</small></div> <div>9. <input type="checkbox"/> English Translation Document (if applicable)</div> <div>10. <input type="checkbox"/> Information Disclosure Statement (IDS)/PTO-1449 <input type="checkbox"/> Copies of IDS Citations</div> <div>11. <input type="checkbox"/> Preliminary Amendment</div> <div>12. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503) <small>(Should be specifically itemized)</small></div> <div>13. <input type="checkbox"/> *Small Entity <input type="checkbox"/> Statement filed in prior application, Status still proper and desired</div> <div>14. <input type="checkbox"/> Certified Copy of Priority Document(s) <small>(if foreign priority is claimed)</small></div> <div>15. <input type="checkbox"/> Other:</div>			
16. If a CONTINUING APPLICATION , check appropriate box and supply the requisite information below and in a preliminary amendment: <input type="checkbox"/> Continuation <input type="checkbox"/> Divisional <input type="checkbox"/> Continuation-in-part (CIP) of prior application No. ____/ Prior application information: Examiner ____ Group/Art Unit: ____ For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts			
17. CORRESPONDENCE ADDRESS			
<input type="checkbox"/> Customer Number or Bar Code Label <small>(Insert Customer No. or Attach bar code label here)</small> or <input checked="" type="checkbox"/> Correspondence address below			
NAME		Robert D. Kucler, Esq.	
		Reed Smith LLP	
ADDRESS		P.O. Box 488	
CITY	Pittsburgh	STATE	PA
		ZIP CODE	15230-0488
COUNTRY	US	TELEPHONE	412-288-4598
		FAX	412-288-3300
Name (Print/Type)		Robert D. Kucler	
Signature		Registration No. (Attorney/Agent) 45,908	
		Date	November 16, 2000

11-17-00
09/14/22
11/16/00

FEE TRANSMITTAL for FY 2000

Application No.	(Not yet assigned)	Filing Date:	(Not yet assigned)
First Named Inventor	SOLTIS et al.	Group Art Unit:	(Not yet assigned)
Examiner Name:	(Not yet assigned)	Attorney Docket No.;	00-494-US

METHOD OF PAYMENT (Check one)

1. ☒ **Payment Enclosed:** ☒ Check ☐ Money Order ☐ Other
2. ☐ The Director is hereby authorized to charge indicated fees to:
- 2a. ☒ Charge any additional fee required under 37 CFR 1.16 and 1.17 and credit any over payments to:

Deposit Account Number 18-0582

Deposit Account Name Reed Smith Shaw & McClay LLP

FEE CALCULATION (fees effective 11/10/98)

1. BASIC FILING FEE

Large Entity Fee Code	Fee (\$)	Small Entity Fee Code	Fee (\$)	Fee Description	Fee Paid
101	710	201	355	Utility filing fee	710
106	320	206	160	Design filing fee	
107	490	207	245	Plant filing fee	
108	710	208	355	Reissue filing fee	
114	150	214	75	Provisional filing fee	
SUBTOTAL (1)					(\$)710


2. EXTRA CLAIM FEES

	**No. of Claims		Extra Claims	Fee from Below	Fee Paid
Total Claims	20	-	20 = 0	x 18 =	
Independent Claims	4	-	3 = 1	x 80 =	80
Multiple Dependent Claims				x 270 =	
SUBTOTAL (2)					(\$)80

**or number previously paid, if greater; For Reissues, see below

Large Entity Fee Code	Fee (\$)	Small Entity Fee Code	Fee (\$)	Fee Description	Fee Paid
103	18	203	9	Claims in excess of 20	\$ 0
102	80	202	40	Independent claims in excess of 3	
104	270	204	135	Multiple dependent claim	
109	80	209	40	Reissue independent claims over original patent	
110	18	210	9	Reissue claims in excess of 20 and over original patent	
SUBTOTAL (3)					\$

SUBMITTED BY Complete (if applicable)

Typed or Printed Name	Robert D. Kucler	Date: November 16, 2000	Reg. Number	45,908
Signature				Deposit Account User ID
				18-0582

WEB-BASED DESIGN SYSTEM

FIELD OF THE INVENTION

009117 2244160
The present invention generally relates to systems and
5 methods for customizing or designing a good, and more specifically relates
to systems and methods for customizing goods including text and/or
graphics using a design editor over a global computer network.

BACKGROUND OF THE INVENTION

10 Traditional methods of selling goods involve a manufacturer
deciding, usually based on customer preference, how and in what quantity
goods are produced. However, for many goods, at least some amount of
customization is desired by the consuming public. The essence of
customizing a good includes the communication of design choices from a
15 user to a manufacturer, and the production of the good by the
manufacturer according to those design choices.

With the rise of networked computing and the increase in the
number of Internet users, some manufacturers have attempted to provide
customized goods over the Internet. Typically, a user will access these
20 systems from their home or office using web browser software. The
customizable product website may offer one or more choices with which a

user can alter or customize one or more features of a desired product. The manufacturer may thereafter analyze these design choices and provide the chosen or customized product to the user, sometimes from pre-produced inventory.

5 These electronic purchasing systems typically do not provide the user with instantaneous feedback about their design choices. Also, these traditional sites allow only regimented and structured customization of a product according to manufacturer guidelines. Design elements cannot be freely relocated using simple drag & drop techniques.

10 Improvements to the amount of product customization are always sought.

 The communications between the manufacturing or distribution site and the user's computer are typically carried out using traditional client-server methodologies. For example, the server may send a web page including one or more selectable design features to the user's

15 computer. An electronic indicator of the user's selection is typically sent back to the manufacturer or distributor's server. The server may perform some type of analysis on the indicator, and send a new or updated web page to the user's computer. This two-way communication after each feature of a customized product is designed or selected may extend the

20 amount of time it takes for a user to custom design a product.

 As such, a need has been recognized for systems and methods that enable a user to customize or custom-design a product in an efficient and intuitive manner. The system preferably includes functionality that

enables a user to design a product without excessive client-server interaction. Such a design "editor" may be useful in a variety of different areas, including product design, web page design, and other areas.

5

SUMMARY OF THE INVENTION

The present invention contemplates, in at least one preferred embodiment, a system and method for designing or customizing a product, web page, or other item. The invention may be part of an electronic design and manufacturing system that exists as part of a global computer network, such as the Internet.

In at least one embodiment, the present invention includes a web server, a client computer, a PDF (portable document format) rendering engine, and a manufacturing computer. The web server preferably provides one or more web pages to the client computer to enable the user to make general preliminary design choices about the custom-designed product. After preliminary design choices are made, the user is preferably presented with an electronic design editor that allows customization of many different features of the designed product. This design editor may include drag & drop capabilities and preferably needs little or no client-server interaction during product customization.

09/24/2003 11:00 AM
Name-value pairs of information describing the user-defined design choices may be sent directly or indirectly to the PDF rendering engine. This engine analyzes the name-value pairs of information to create a PDF file that describes the product to be designed. This product
5 design may be presented to the user for approval, or may be sent to a manufacturing computer for product creation. The manufacturing computer and associated printers and other devices preferably use the PDF to directly create the desired product. For example, if a piece of stationary is designed, the manufacturing equipment may create
10 appropriate printing plates and print the stationary.

The web server, PDF rendering engine, manufacturing computers, and other devices may be located remote from each other and connected via a computer network. Alternatively or additionally, one or more of these devices may be housed at the same location, or may even be
15 part of the same computer or local network.

The design editor, rendering engine, and other devices may be especially useful in the design of a customized product such as business cards, stationary, and stamps. However, these devices could be used to design an almost endless assortment of products, web pages, and other
20 items. These and other details, objects, and advantages of the present invention will be more readily apparent from the following description of the presently preferred embodiments.

BRIEF DESCRIPTION OF THE DRAWINGS

The invention and its presently preferred embodiments will be better understood by reference to the detailed disclosure hereinafter and to the accompanying drawings, wherein:

5 **Figure 1** is block diagram of a web-based design system;

Figure 2 is flow chart of one embodiment of a web-based design system;

Figure 3 is a sample home page for a web-based design system;

10 **Figure 4** shows sample preliminary customization options;

Figure 5 shows sample preliminary customization options;
and

Figure 6 shows a sample design editor page for editing the features of a business card.

15

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The present invention broadly contemplates, in at least one preferred embodiment, a system and method for designing a customized

product via a global computer network such as the Internet. The system preferably allows a user to design and edit a customizable product using a drag-and-drop design editor. The edited product results may then be sent to a PDF rendering engine that creates a PDF version of the designed
5 product. This PDF file may be directly used with printing or manufacturing equipment to produce the desired product.

As depicted in **FIG. 1**, in at least one presently preferred embodiment of the invention, the web-based design system **10** includes a web server **20** for housing web-based information, a client computer **22** for
10 accessing the web server **20** via a global or local computer network **24**, a PDF rendering engine or computer **26** that converts a desired user design into a PDF file representation of the design, and a manufacturing computer **28** that runs a printer or other manufacturing equipment **30** to create a customer-desired product based on the PDF file.

15 All of the above entities **20, 22, 26, 28, 30** may be connected to each other over a global computer network **24**, such as the Internet, and/or some of these entities could be housed in the same location or even be part of the same computer. For example, the PDF rendering computer **26** may be a part of the manufacturing computer **28** (or may be
20 directly connected thereto), and both of these computers **26, 28** may exist in the same location as the web server **20**. The client computer preferably exists remote from the other entities to maximize the number of users who can take advantage of the system.

The system preferably operates as a series of discrete process steps as shown in FIG. 2. The user may initiate a custom product design session by accessing the product design website (block 40). After making several preliminary choices (block 42) about the desired product, the web server 20 (or other computer) preferably sends a complete design engine or DHTML editor (the "editor") to the client computer 22 so that the user can use drag-and-drop functionality to edit their design (blocks 44, 46). Once the product has been edited to the user's satisfaction, the design information is preferably electronically sent to a PDF rendering engine or rendering computer 26 (block 48) that produces a PDF version of the product that accurately reflects the user's design (block 50).

The PDF may be sent back to the user for approval (block 52). Once approved, the PDF is preferably released to a manufacturing computer 28 and used to run the appropriate manufacturing or printing equipment 30 to produce the final product (block 54). This process may allow a user to design a custom product in a shorter amount of time and utilizing a lesser amount of network information transfers, as compared to conventional methods, to produce a good that more accurately recreates the user's design.

In one embodiment of the present invention, the system exists as a client-server system as part of a computer network. The user accesses 40 the system 10 using a personal computer or other device 22 from a location that may be remote from the web server 20. Preferably, the user can access the product design system 10 from his or her home,

office, or other convenient place. The user may access the system 10 using a conventional web browser or some other computer program that allows the user to access and interact with web-based or HTML-based program code.

5 The user preferably accesses the system 10 by typing the system's Uniform Resource Locator (URL) into the appropriate section of the web browser. The user is then preferably presented with a home page or other information sent from the web server 20 to the client computer 22. This home page explains preliminary information about the
10 use of the product design system to the user, and walks the user through the use of the design editor.

 At the start of the design process, the user is preferably prompted by the web pages or web server 20 for some preliminary information about the product that the user desires to design (block 42).

15 Because the present invention may be used to design a wide variety of products that may or may not be closely related to each other, the system 10 may prompt the user to "drill down" through a series of web pages, selections within a web page, or some other procedure to better determine the "overall" type and appearance of the product.

20 For example, a website for designing printed products may allow a user to customize stationary, business cards, signs, and/or stamps. The preliminary information requested by the server 20 may include: the type of product to be designed; the size, shape, and orientation of the

product and the printed elements; the text and graphical elements used for the product; the colors of the text and graphics; and/or the general positioning of the text and graphics on the product.

This preliminary information is preferably presented to and
5 received from the user in a conventional client-server relationship. For example, the server 20 may present the user with a web page showing graphical representations of the various possible choices of products to be designed, and the user may use a keyboard, mouse or other input or selection device to choose from the choices provided. As each choice is
10 made by the user, the result is preferably sent to the server 20 for further calculation or product design update, and a new set of choices are preferably sent back to the user on the client computer 22.

After each selection is made, the server 20 may create a graphical representation of the product as currently designed and
15 electronically send this representation to the user. This allows the user to view his or her design as a work in progress and more accurately make the appropriate design choices to reflect his or her desires.

After certain preliminary information has been accumulated from the user, the web server 20 or other computer preferably sends a
20 design editor or DHTML editor to the user to complete the design and customization of the product (block 44). All or part of the editor (in the form of static jscript / javascript code) may already exist on the client computer 22 (from another designing session according to the browser

cache settings on the client computer), and this previously sent editor may be used in the current session if the new preliminary information can be sent to the cached design editor, for example using the HTTP “get” command discussed below.

5 The DHTML (Dynamic Hypertext Markup Language) editor (the “editor”) may be used to compose and layout almost any type of textual and/or graphical information. It may be especially useful in laying out business cards, stamps, stationary, or other items in a “real-time,” interactive fashion. The editor preferably has a look-and-feel that
10 corresponds to desktop applications that are familiar to most users. For example, the editor may utilize scrollable windows and drag-and-drop editing features.

 In general, the editor is preferably comprised of two main sections: a preview pane where the current design of the customized
15 product is graphically displayed for the user, and an element editor pane or window that allows the user to edit various elements or features of the designed product. The element editor may show a table of customizable elements along with a re-definable list of element characteristics. The preview pane and element editor may be shown on the same web page or
20 on separate web pages. “Frames” or other multi-page web technologies may be used to split the user’s browser working area into the two relevant sections. However, “frames” need not be used. As is the case with frames or non-frames, definable divisions known as “positioned layers” or “divs” may be used to split the working area into two *or more* relevant sections.

The editor is preferably used to edit, format, and position product design elements (text and/or images) within a predefined area of the user's web browser window in an absolute or relative (X, Y) position. Each element of the product design is preferably separately

5 "encapsulated" in its own logical element block or layer that contains not only the content of the image or text, but also has an accompanying web script or other information carrier that defines aspects, characteristics, or features of the element. For example, a block of text may have a certain content, *e.g.*, "your name," but may also have an associated script that
10 defines the size, font, justification, and/or absolute or relative X, Y positioning of the text in the area of the browser screen defined by the image of the user-designed product. By attaching these scripts to the elements, a more comprehensive and accurate editing procedure may be implemented. Furthermore, by defining containment or encapsulation of
15 certain elements within a logical block, parent-child relationships are formed and enforced by the attached scripts. This allows attribute definition such as width, alignment, and color to be inherited by encapsulated elements.

The editor is preferably coded using a variety of different
20 computer languages and functionalities. For example, the editor may be a combination of Server-Side Java, Client-Side JavaScript (sometimes referred to as Jscript), CSS (Cascading Style Sheets), DHTML Layers, and HTML (Hypertext Markup Language). The Server-Side code may be written in a variety of other languages in addition to or in place of Java.

03/14/2000 11:00 AM

The elements of the designed product may include a piece of text and/or a graphic logo. The text and logo were preferably chosen as part of the preliminary design process (block 42) described above. The text and logo may be transferred from the web server 20 or other
5 computer to the design editor at the client computer 22. For example, the HTTP “get” and “post” commands can be used to transfer variable information via the Internet 24. The design elements are preferably defined according to the size, type, and location of those same elements in a sample template chosen by the user as part of the preliminary element
10 selection.

As the design editor receives the HTTP “post” or “get” variables or other information, the editor preferably creates a separate “design element” that includes the content of the text or image as well as a referenced or associated script describing the location and characteristics
15 of that element. For example, the designed product could be divided into “layers” according the HTML “div” tag. Each element can then be separately identified (as a “block” or “layer”) and scripted. The elements themselves exist according to the HTML tag and the substance and style of the element (formatting, location, etc.) can be scripted in JavaScript or
20 some other language. Likewise, Cascading Style Sheets (CSS) could be used in much the same way.

One aspect of dividing the product into elements may enable each element to be “dragged” around the user’s screen. For example, the “div” tag and associated script can enable the user to move the mouse or

other pointing device over the design element on the screen and depress a mouse button ("click" the mouse) to select the element. If the mouse is moved while the mouse button is depressed, the element will be moved around the screen while other elements remain static. The element may even be moved off the screen (outside the bounds of the designed product). Standard JavaScript events play a large role in handling drag and drop mouse action. These events include onMouseDown, onMouseUp, onMouseOut, and others. These events trigger a custom coded decision process that determines when to drag / drop an element or select it for editing.

While the user drags the element around, the underlying scripting can preferably track the mouse cursor movement and calculate a new absolute or relative position for the element (based on how far the mouse "dragged" the element. When the element is in the proper position on the product design, the user may release the depressed mouse button to "drop" the element in its new position. Preferably, all elements of the product design can be dragged-and-dropped.

The different design elements may be selected, dragged, dropped, edited, or otherwise manipulated by the editor depending on the application. For example, the textual elements of the design may allow formatting including bold, italic, alignment or justification, foreground and background color, size, font, and the content of each specific word or message. The image, logo, or graphical elements of the product design may allow reformatting of the color, size, or other aspects of the design.

The position of any of these elements in the design is also preferably adjustable by the user using simple drag-and-drop technology.

Because of the accurate absolute/relative positioning of the X, Y location of each element, the formatting and positioning of each element within the editor (on the user's screen) preferably accurately represents in WYSIWYG (What You See Is What You Get) fashion nearly exactly what the final product or press image will look like. This "exact" positioning is captured from a scripted property of a block, layer, or other element ID which reads the exact X, Y position of the upper left corner (or some other position) of the block.

This design editor preferably works in conjunction with available and widely distributed web browsers such as MICROSOFT EXPLORER. The editor may also be incorporated into various proprietary or individually written programs to be used as part of a website or other functionality.

In order to keep selected blocks or elements in a certain position, there may also be a logical "toggle" or switch that allows the user to define a block or element as "immovable" by the design editor. For example, a human resources person at a company may create an "overall" design or template for a business card, to be used by several members of the company to create their own personal business cards. Although each individual user may be allowed to add various personal information depending on their preferences (cellular phone number, fax number, email

address, etc.), the company may wish for the overall look-and-feel of the business cards to be similar. Therefore, the company logo size, color, and orientation may not be re-definable or movable in the editor by a subsequent user. Such a system may allow an increased amount of user customization while still maintaining some modicum of corporate control or consistency.

After the user has used the element editor to modify the various table entries of the designed product, the user preferably sends the product design information to a PDF rendering engine or rendering computer (block 48) capable of taking the information and creating a PDF file (block 50) that defines the graphical representation of the product. Because the product design information resides as a characteristic name (such as "font") and associated value (such as "courier"), these name-value pairs may be sent to the PDF rendering engine together. For example, the HTML "get" and "post" commands may be used to transfer name-value pairs (e.g., font = courier) to the PDF engine 26, web server 20 or other computer which allows the PDF engine to manipulate the data. There may be 100 or more name-value pairs associated with a given product design.

The name value pairs are preferably received by the web server 20 or other computer and sent to a database structured to accept the various name-value pairs. The database may then be analyzed at the web server 20 or a separate PDF rendering computer 26 by a software

program that is able to convert the name value pairs into a corresponding PDF file.

The PDF document format may be a preferred format for the invention because it makes a very high quality image (as opposed to a conventional bitmap) that may be suitable for sending directly to a printing press or other manufacturing equipment 30. Other common data formats may be used, or a proprietary format could be developed within the scope of this invention. However, the PDF format is preferred because there is existing printing and other manufacturing equipment 30 currently capable of accepting the PDF format.

The PDF (Portable Document Format) rendering engine 26 (“the engine”) takes the paired data and preferably creates a multi-color, multi-page PDF using almost exact pixel positioning of the text and image elements as designed and placed by the user using the DHTML editor. Preferably, the resulting PDF is color-separated so that the PDF can be sent directly to a printing press or other device 30 that creates a colored product by adding one color at a time.

The PDF rendering engine 26 may be written within an ASP (Active Server Pages) framework using VBScript (Visual Basic Script), ADO (ActiveX Data Objects), SQL (Structure Query Language), HTML (Hypertext Markup Language), and ActiveX API calls to PDF library files that are generally available. Alternatively or additionally, a version of the PDF rendering engine 26 may be coded in Java.

As described above, the engine **26** may be called directly from the editor, for example, when the user selects to either “proof” or “order” their design. The relevant design description values are preferably posted (*e.g.*, using HTTP “Post” command) to the engine **26** as name-value pairs.

- 5 The capturing and posting of these values may be a part of the engine process itself, or they may be captured by the web server **20** and or other computer and then sent to the rendering engine **26** in some separate or integrated process, for example from an intermediate database.

- Some examples of name-value pairs that may be used by the
- 10 PDF rendering engine **26** to produce a PDF that describes a multi-color printed product (*e.g.*, a business card, stationary, or notepad) may include: template size; background color; block dimensions and position (in X, Y absolute or relative terms); text elements within a block including color, contents, alignment and/or font; and image elements within a block
- 15 including scaling (*e.g.*, 0-200%) and contents (relative or actual path to an image file).

- The engine process (block **50**) preferably begins once the above (or other) values are posted to the rendering engine **26**. The PDF rendering process may begin with the generation of a random number
- 20 that is used to identify the user session and may be used to at least partially identify the resulting PDF file. This number, known as a GUID (globally unique identifier), may help identify a later relevant engine session to the current session.

The received “posted” values are preferably parsed from the name-value pairs and inserted into a database table using a two-step logical process. Once inserted, a one-to-many relationship between blocks and their contained elements may be created using SQL. Once this
5 relationship is created and “posted” data is saved to the database, this information may be used at a later time to either recreate the editor state exactly (thus creating a new editor session from saved work), or to generate/regenerate a PDF file.

A PDF file may be opened and initialized as an ActiveX
10 object using one of several commonly available PDF libraries that can be licensed from various sources. The text and image blocks are preferably examined and added to the initialized PDF file by a proprietary software algorithm. For example, the software may first search for all blocks that contain logos or other image files. These graphical files may be embedded
15 in or added to the PDF file in the “exact” X, Y position that the user placed them in the editor. Scaling may be applied to the logo in a proportional pixel resize method. If the logo is in a vector format (e.g., PDF, EPS, WMF), scaling may be applied by vector coordinate transformations. This method results in the highest possible quality of resizing and may be used
20 for all stock logos available. This “real-time” scaling may be advantageous compared to conventional design engine methodologies because users will often have logos that are not of the appropriate size for the intended use. Also, any mask (such as transparencies in GIFs or PNGs) may be preserved by the PDF engine. Preferable image formats for use with the

PDF engine may be JPG, PNG, GIF, PDF, EPS and TIFF. Because of image conversion technologies employed, almost any image format is supported because it can be converted to a preferred format.

After the image blocks or image elements are inserted into the PDF, the text blocks are preferably examined and inserted into the PDF at the “exact” position where they were placed in the editor. The fonts chosen by the user in the design editor may be used on a per line basis. The font is preferably embedded in the PDF using a binary Type 1 font file installed on the web server 20. Using batch font conversion techniques, virtually any font made available for licensing (or custom fonts) may be used by the PDF rendering engine 20. Preferably, the engine 28 does not rely on the fonts used in the editor, and only the name of the font passed as a value to the engine 28 limits the available fonts.

During this phase of the rendering process, color may be passed as RGB and the appropriate color (found by performing a hexadecimal to binary conversion) may be used for the text. Alignment (e.g., left, right, center) may be performed on a per line basis within each block. Proper X, Y positioning for non-default aligned text lines may be found by using custom arithmetic and logic involving block width, font type and size, and text content of each line per block.

All blocks containing lines (horizontal or vertical) are preferably examined and drawn in the “exact” X, Y position that the user placed them in the editor. The process is much the same as the logo

embedding process, except that scaling may not be supported. Multiple colors and adjustable line thicknesses are preferably supported.

At this stage, the PDF file is now built in single page composite (non-color-separated) form. This single page composite may be sent to the user for inspection and acceptance (block 52). If the user approves and the product is to be printed, the PDF may be color separated and released (block 54) to a manufacturing computer 28. Another software program (or the same program) may be used to create a new page for each printing plate color. For example, a red and process blue card with a multi-color custom logo may need three plates.

Each page may then be used to create a printing plate for actually printing or otherwise manufacturing a custom designed product. These printing plates are preferably created directly using the PDF for maximum accuracy. The printing plates can then be inserted into a machine for printing the final product.

If multiple products of various colors are run on a single machine, it may be preferable to batch the jobs according to color. For example, all plates to be printed in one specific shade of blue may be batched together and run on the machine consecutively. Hence, the color being run on the machine may only need to be changed a minimal number of times. This may result in a more efficient workplace.

As described above, a traditional design editor may allow a user to input or select different information, such as text and/or pictures, to design a custom-made printed product. The exact appearance of the final product ensuing from these traditional design methodologies may be largely unknown because the look of the designed product on the design web page may not be completely accurate. Also, the user may have a limited amount of options when attempting to edit the design or reposition the elements of the design. The present invention may partially alleviate one or more of these problems.

The above explanation described the present invention in general terms without describing the design of any product in particular. The following example describes the generation of a custom-designed business card using one embodiment of the design system of the present invention. After inputting the appropriate URL into a web browser, the user is preferably presented with a web design site home page or other page that introduces the top level design choices. As shown in **FIG. 3**, this exemplary site includes capabilities to design business cards **60**, rubber stamps **62**, envelopes and stationary **64**, and wall/desk signs **66**. Because each of these products have different preliminary design choices that may be made before using the DHTML editor, this preliminary design stage is preferably segregated for each product type.

Using a computer mouse, keyboard, or some other input or selection device, the user preferably selects the "business card" button or graphic **60**. An indication of the selection may be sent electronically from

the user (client) computer over the Internet or other computer network to the server. The server may recognize the selection and send the next appropriate web page to the user.

This next page, shown in **FIG. 4**, preferably details the next preliminary choice or choices to be made by the user. Here, the starting layout for the business card can be selected from the choices of horizontal 1 **70**, horizontal 2 **72**, and vertical 1 **74**. It should also be noted that there is a “?” button **76** that may be linked to a “help” web page, navigational buttons **78** to move through the series of preliminary selections, and other selectable buttons **80** with various functionality to guide the user through the design process. An indication of the selection of one of these choices, for example “horizontal 1 **70**,” is preferably sent electronically from the client to the server where a calculation or other decision may be made to determine the next appropriate web page to send to the user.

FIG. 5 shows a sample third page in the present business card design system wherein various choices or templates of different horizontal business cards are presented to the user **84**. The user preferably selects the template **84** that most nearly represents the user’s desired business card. If none of the templates **84** are sufficiently close, the user may select to jump back **86** to a different group of templates, or the user may choose to start the entire process over. If one of the template layouts **84** is close to the user’s desired business card, the user preferably selects the appropriate template **84** with the mouse, keyboard,

or other selection device. An indication of this selection is preferably sent back to the server for processing.

At every stage of this preliminary design selection, the client and server may interact with each other. Every time this interaction occurs, there may be an associated time lapse and possibility for data loss or error. For example, these interactions are limited by the amount of Internet traffic both through the user's Internet Server Provider (ISP) and through the server. Also, the client or the server computers may experience communication problems during the session. If there is a great distance between the client and server computers, there will be some inherent delay in the communications.

Every data exchange between the computers introduces the possibility that corrupted or other non-desired data is introduced into one of the applicable computer systems. Traditional design systems often perform not only preliminary tasks, but all tasks based on this client-server communication model. In the present system, although the preliminary decisions are made using client-server communications, this interaction is minimized after these few preliminary decisions are made.

After the server receives the template choice, the server may further prompt the user to select certain attributes of the desired business card. For example, the paper on which the cards are to be printed may be selected from various colors, textures, and materials of paper. The system

may enable the user to select the color, size, and design of a border to create a decorative outer region on the business cards.

One or more logos, pictures, or other graphics may be added to the business card (or other product) designed by the user. The server preferably has a library of common graphics for addition to the cards, and these graphics may be stored in various libraries according to subject matter. Additionally, the design system may enable the user to transfer a logo or other image to the business card from a file that currently exists on the client computer. Because the ultimate printing or manufacturing process is preferably computer-controlled, the design system may be adapted to accept a variety of different data and file types to be incorporated into the final product.

After all of the text and graphics are selected, and any other preliminary choices are made, the user may be prompted to start using the DHTML editor. As explained above, this editor preferably allows drag-and-drop repositioning and extensive editing capabilities without client-server interaction after every attribute is updated. When the user selects to use the editor, the server preferably sends the complete relevant portions of the DHTML design editor to the client computer.

As seen in FIG. 6, the editor may appear to the user as a two-paned window 100 including a first pane 102 showing a designed product sample 104 and a second pane 106 showing an associated table of editing information (element editing area) 108. In our example, there is a

custom business card **104** at the top of the page and a table of editing features **108** at the bottom. Each element (text, graphic, or other) is preferably attached to a different block or layer and can be repositioned or edited independently. Because each layer has its own associated script
5 defining location, size, color, and other characteristics, each element may be separately edited.

For example, the business card **104** of **FIG. 6** includes: a border **110**; a large set of initials **112**; a name **114** and title **116**; and various address **118**, Internet **120**, and telephone number **122**
10 information. Using the mouse or other selecting device, the user can move the computer cursor over the element of the business card **104** which the user desires to edit. In **FIG. 6**, the user has moved the mouse cursor over or selected the area of the business card **104** including the email address **124** and company website **126**. The lower part of the web
15 page **106**, or possibly a different page, will have an element editing area **108** where the highlighted or selected elements **124**, **126** may be edited.

In the **FIG. 6** example, the information block, layer, or element describing the email address **124** can be edited by content **128**,
20 font **130**, font size **132**, color **134**, and/or alignment **136**, and the text can be made either boldfaced **138** or italicized **140**. Similar design attributes can be altered for the company website element **126** in the business card **104**. The user may move the mouse or other pointing device down into the element editing area **108** and amend any of these features. The

user will preferably first replace the sample text **128** (content) with his or her own text for the business card. The user may also elect to change some other attribute of the text.

Preferably, at any time during this editing process, the user
5 may also bring the mouse pointer or other device up into the business card display area and “drag-and-drop” one or more design elements into a new position on the business card **104**. For example, the user may wish to move the name block **114** up to the top of the card **104**, or the user may wish to reorder the address **118** and telephone number **122** information.
10 This repositioning preferably takes place immediately and occurs by “holding down” a mouse button while moving the element into its new position according to well-known mouse techniques.

The changes that the user makes to the size, font, and other attributes of the text and graphics in the element editing area may take
15 effect immediately upon entering the changes, or the element editing area **108** may have an “Apply Changes” **142** or other selectable button (shown in **FIG. 5**) that causes the changes to take effect after one or more changes have been entered into the element editing area **108**. A change preferably “takes effect” by altering the look of the business card **104** in
20 the preview pane **102** or business card area of the design editor. Preferably, the changes take place in the underlying Java Script or other code at the client computer **22** (by updating the applicable scripts), without the need for any additional interaction with the server **20**.

0094433 " 2344 F 250

If the user wishes to change a different design element of the business card **104**, the user may move the mouse pointer or other device over the appropriate new element in the business card **104**. For example, if the user selected the business card logo, the element editing table may
5 change to present the user with various attributes (size, color, type, etc.) for altering the look of the logo on the business card **104**.

Once the business card **104** in the preview pane **102** matches the desired business card, the user preferably can preview **142** a large version of the card as a PDF file detailing exactly what the printed
10 business card should look like when manufactured. Upon selecting to preview the PDF, the edited business card content information is preferably sent from the design editor at the client computer **22** to a PDF rendering engine **26** either on the web server **20** or at some other location. As explained above, the information is sent in name-value pair format.

15 The PDF rendering engine **26** preferably uses a software program to create a PDF file based on the business card information as edited in the DHTML editor. The PDF file may then be sent back to the client computer **22** so that the client can view the final PDF version of the business card (e.g., using ADOBE ACROBAT READER). If the business
20 card is not acceptable at this point, the DHTML editor may be reloaded, and the business card may be re-edited. After re-editing, a new PDF file, including the updated information, is preferably created at the PDF rendering engine and sent to the client computer for approval.

009TTF 244760

If the business card **104** is acceptable at this point, the user may order some number of business cards by various payment methods. Preferably, there is a web-based form that the user fills out including quantity, shipping information, price, and/or special handling instructions. When the user fills out the form and accepts it, the information in the form is preferably sent to a billing or other computer that releases the PDF file to the manufacturing or printing machines **30**. Because the PDF file already exists at the PDF rendering engine **26**, there is no need to send the PDF from the client computer **22** back to the rendering computer **26** at this point in time. Preferably, a much smaller message with shipping and billing information can be sent.

The web server **20**, PDF rendering engine computer **26**, billing computer (not shown), and manufacturing computer **28**, may all exist at one location (they may even be one computer) or they may be distributed across various locations. For example, one PDF rendering engine computer **28** could be used by several different manufacturing organizations.

Once the PDF file is released to the manufacturing computer **28**, that manufacturing computer is able to use the PDF file to print the business card **104**. Preferably, the software that runs the manufacturing and/or printing equipment **30** can be directly driven with the PDF file so that the actual printed business card looks almost exactly like the PDF file that the user viewed on their computer **22**. By using the PDF file itself to run the printer **30**, the business card will more closely resemble

the user's design than by conventional methods. In the present example, the PDF file may be used to automatically create various color-segmented printing plates that are used to print the business cards.

Once the printing run is complete, the business cards may be shipped to the user according to the shipping information that was sent with the order. The business card information may be saved either on the client computer 22 or one of the other computers for later use. The user may also start a new design session (*e.g.*, for a stamp, stationary, envelope, or another business card) at this time.

Although the above example related to business card creation and the above discussion talked about conventional printing applications, the present invention could also be used to created other customized products such as T-shirts, coffee mugs, and other promotional items. Any black and white or colored application where independent manipulation and editing of constituent elements may be created using this invention.

The technology of the design editor may also be used in other applications besides uses associated with the printing industry. For example, this technology may be used to change and capture positions of information blocks for the personalization of WWW (World Wide Web) portal or other personal home page. Traditional "personal home pages" may allow a user to select or adjust certain page attributes or content information in creating a personal home page for a web portal, auction site, or some other web-based information page.

Using the technology of the present invention, a design editor may allow a user to drag-and-drop elements of a personal home page to any location on the screen. The absolute or relative X, Y positioning incorporated in the design editor may allow a much more customizable personal home page experience than conventional methods. Rather than simply selecting from a predefined set of choices, the user may now create a home page according to their own specifications.

This may be especially useful when creating a general portal to the Internet based on the tastes of the user. A traditional personal portal builder may allow the user to select an absolute position of the screen for sports scores, stock updates, news, or any other information. The present invention may allow absolute and accurate positioning of porthole information in a drag-&-drop format with little client-server interaction. Furthermore, because of the WYSIWYG aspect, portal pages need not be limited to a traditional 800 pixel screen width. A user may choose to place a sports block at the far right edge of their window, whose position varies by screen and monitor size.

The above specification describes several different embodiments and features of a system and method for creating a custom-designed product. Various parts, selections, and/or alternatives from the various embodiments may preferably be interchanged with other parts of different embodiments. Although the invention has been described above in terms of particular embodiments, one of ordinary skill in the art, in light of the teachings herein, can generate additional embodiments and

5 to limit the scope thereof.

WHAT IS CLAIMED IS:

1. A design system, comprised of:

a web server;

a client computer; and

5 a PDF rendering engine for automatically generating a PDF based on a desired product designed at the client computer, wherein said server, said computer, and said engine are in communication with each other.

2. The design system of claim 1, further comprised of:

10 a database associated with said PDF rendering engine.

3. The design system of claim 2, wherein said PDF rendering engine is capable of accepting information about said desired product from said client computer in the form of name-value pairs.

4. The design system of claim 1, further comprised of:

15 a manufacturing computer capable of receiving said PDF; and

a manufacturing device in communication with said manufacturing computer capable of producing the desired product based on the PDF.

5. The design system of claim 1, further comprised of:

5 a web-based design editor that allows a user to redefine attributes of the desired product.

6. The design system of claim 5, wherein said attributes include text elements and graphical elements.

7. A method for designing a product, comprising the steps
10 of:

providing to a user at least one web page including selectable preliminary choices about the product;

receiving an indicator of said preliminary design choices from the user;

15 providing a web-based design editor to said user;

receiving name-value pairs of information describing at least one attribute of said product; and

generating a PDF based on said preliminary design choices and said name-value pairs.

8. The method of claim 7, further comprising the step of:

releasing said PDF to a manufacturing computer after
5 the user approves the PDF.

9. The method of claim 7, wherein said web-based design editor is provided to the user from a memory cache on a computer at the user's location.

10. The method of claim 7, wherein said web-based design editor is provided to the user from a web server remote from the user.

11. The method of claim 7, wherein said web-based design editor allows the user to relocate attributes of said product using drag & drop mouse functionality.

12. The method of claim 7, wherein said name-value pairs
15 are incorporated into a computer program script.

13. A software-based design editor, comprised of:

data on a computer readable medium capable of displaying a graphical representation of a product, wherein said graphical

representation of the product is comprised of at least one independent design element; and

data on a computer readable medium capable of displaying a table of editing information, wherein said table of editing
5 information includes customizable attributes of a user selected independent design element, wherein a user selects said user selected independent design element from the graphical representation of the product.

14. The software-based design editor of claim 13, wherein
10 said graphical representation of the product and said table are displayed in two separate screen windows.

15. The software-based design editor of claim 13, wherein the user selected independent design element in said table is selected by the user using a computer mouse.

16. The software-based design editor of claim 13, wherein
15 the location of each of said at least one independent design elements can be changed by dragging each of said elements in the graphical representation of the product using a computer mouse.

17. The software-based design editor of claim 13, wherein
20 the customizable attributes of a user selected independent design element can be changed by the user by editing the information in said table.

18. A method of relocating elements of an electronic display, comprising the steps of:

providing an image of the electronic display including at least one independent design element to a user;

5 enabling the user to redefine attributes of said at least one independent design element;

defining name-value pairs of information describing said user redefined attributes of said at least one design element; and

10 updating the electronic display based on said name-value pairs.

19. The method of claim 18, wherein said enabling step includes enabling a user to drag & drop with a computer mouse said at least one independent design element to a new location in the electronic display.

15 20. The method of claim 18, wherein said electronic display represents an Internet portal website.

ABSTRACT OF THE DISCLOSURE

5 A system and method for designing or customizing a product,
web page, or other item, via a global computer network. The system
includes a web server, a client computer, a PDF rendering engine, and a
10 manufacturing computer. A user may select preliminary design choices
form a web page at the client computer. After preliminary design choices
are made, a web-based design editor allows customization of many
different features of the designed product. The design editor may include
drag & drop capabilities for repositioning design elements and preferably
15 needs little or no client-server interaction during product customization.
A PDF rendering engine generates a PDF file describing the designed
invention, and the PDF may be used to directly drive manufacturing
equipment to produce the product. The web-based design system may be
especially useful in designing printed or graphical products such as
20 business cards, stationary, and stamps.




FIG. 1





FIG. 2

First Impressions

You're the designer!

*Your Online Source for Business
Cards, Signs, Stamps, and Stationery.*



home

FIG. 3

First Impressions

Business Cards

Custom Business Cards in Minutes!

Design
Signs

Design
Stationery

Design
Stamps



Browse & Select Template...

- ☒ Horizontal Starting Layout — 1 ~ 70
- ☐ Horizontal Starting Layout — 2 ~ 72
- ☐ Vertical Starting Layout — 1 ~ 74

[check out](#)

[< back](#)

[next step >](#)

[home](#)

Fig. 4

09714422.41600

7

76

80

80


First Impressions

Business Cards + select template
select paper
select border
select graphic
design



Horizontal Starting Layout-1

Make a selection. The real time web editor will allow you to move and change items when you reach the design area.



09714422-11600

100

102

112

114

104

124

120

122

110

116

118

126

138

140

136

134

132

130

128

108

142

106

Bold	Italic	Align	Color	Size	Font	Edit Content	Not needed
<input type="checkbox"/>	<input type="checkbox"/>	Left	DarkGreen	10	Times	Email:name@isp.com	
<input type="checkbox"/>	<input type="checkbox"/>	Left	DarkGreen	10	Times	http://www.yoursite.com	
Apply Changes							

Fig. 6

COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled **Web-Based Design System**, the specification of which

Regular Application

☒ is attached hereto.

☐ was filed on [Date Application was Filed] as Application Serial No. [Serial No.] and was amended on [Date of Amendment] (if applicable).

PCT Application Entering National Phase

☐ was filed on [Date] as PCT International Application No. [App. No.] and was amended on [Date of Amendment] (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)**Priority Claimed**

(Number)	(Country)	(Day/Month/Year Filed)	<input type="checkbox"/> Yes <input type="checkbox"/> No

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below.

(Application Number)	(Filing Date)

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

(Application Serial No.)	(Filing Date)	(Status-patented, pending, abandoned)

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Louis M. Heidelberger, Reg. No. 27,899; John W. Goldschmidt, Jr., Reg. No. 34,828; William J. McNichol, Jr., Reg. No. 31,179; R. Anthony Diehl, Reg. No. 38,432; Maryellen Feebery, Reg. No. 44,677; Alison B. Weisberg, Reg. No. 45,206; Carl H. Pierce, Reg. No. 45,730; Nanda P.B.A. Kumar, Reg. No. 44,853; Thomas J. McWilliams, Reg. No. 44,930; Matthew J. Esserman, Reg. No. 41,536; Frederick H. Colen, Reg. No. 28,061; W. Scott Railton, Reg. No. 23,039; Gens A. Tabachnick, Reg. No. 33,801; Maria N. Rullo, Reg. No. 37,433; Barry J. Coyne Reg. No. 43,566; Kirsten R. Rydstrom, Reg. No. 38,603; Paul D. Bangor, Jr., Reg. No. 34,768; Charles H. Dougherty, Jr., Reg. No. 42,494; Cheryl L. Gastineau, Reg. No. 39,469; Ian K. Samways, Reg. No. 36,664; Marc J. Farrell, Reg. No. 37,826; Stanley P. Fisher, Reg. No. 24,344; Robert D. Kucler, Reg. No. 45,908 Juan Carlos A. Marquez, Reg. No. 22,077; Gerald Kiel, Reg. No. 25,116; Eugene LeDome, Reg. No. 35,930; Jules Goldberg, Reg. No. 24,408; Lloyd McAulay, Reg. No. 20,423; Harold Nissen, Reg. No. 17,283; Arthur Dresner, Reg. No. 24,403; Stephen Chin, Reg. No. 39,938; Mark Montague, Reg. No. 36,612; Samir Patel, Reg. No. 44,998 and Mary E. Buckles, Reg. No. 31,907.

Address all telephone calls to Robert D. Kucler, Esq. at telephone number (412) 288-4598.

Address all correspondence to:

Robert D. Kucler, Esq.
REED SMITH LLP
P.O. Box 488
Pittsburgh, PA 15230

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Inventor's Signature



Date: Nov. 16, 2000

Full name of sole or first inventor

Warren B. SOLTIS

Residence

United States of America


Citizenship

United States of America

Post Office Address

1015 Gasserway Circle
Brentwood, TN 37027

Inventor's Signature



Date: _____

Full name of second inventor

Sean P. McKELVIE

Residence

United States of America

Citizenship

United States of America

Post Office Address

1480 Gould Drive
Memphis, TN 38112

Inventor's Signature

Date: _____

Full name of third inventor

Residence

Citizenship

Post Office Address

Reed Smith LLP
P.O. Box 488
Pittsburgh, PA 15230
(412) 288-3131

COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled Web-Based Design System, the specification of which

Regular Application

☒ is attached hereto.

☐ was filed on [Date Application was Filed] as Application Serial No. [Serial No.] and was amended on [Date of Amendment] (if applicable).

PCT Application Entering National Phase

☐ was filed on [Date] as PCT International Application No. [App. No.] and was amended on [Date of Amendment] (if applicable).

I hereby state that I have reviewed and understood the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)**Priority Claimed**

(Number)	(Country)	(Day/Month/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below.

(Application Number)	(Filing Date)

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

(Application Serial No.)	(Filing Date)	(Status: patented, pending, abandoned)

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Louis M. Feldelberger, Reg. No. 27,499; John W. Goldschmidt, Jr., Reg. No. 34,828; William J. McNichol, Jr., Reg. No. 31,179; R. Anthony Diehl, Reg. No. 38,432; Maryellen Feebery, Reg. No. 44,677; Alison B. Weisberg, Reg. No. 45,205; Carl H. Pierce, Reg. No. 45,730; Nanda P.B.A. Kumar, Reg. No. 44,853; Thomas J. McWilliams, Reg. No. 44,930; Matthew J. Esserman, Reg. No. 41,536; Frederick H. Cohen, Reg. No. 28,061; W. Scott Ralston, Reg. No. 23,039; Gene A. Tabachnick, Reg. No. 33,801; Miriam N. Fulko, Reg. No. 37,433; Barry J. Coyne, Reg. No. 43,566; Kirsten R. Rydstrom, Reg. No. 38,603; Paul D. Bangot, Jr., Reg. No. 34,768; Charles H. Dougherty, Jr., Reg. No. 42,494; Cheryl L. Gassman, Reg. No. 37,469; Ian K. Samways, Reg. No. 34,664; Marc J. Farrell, Reg. No. 37,826; Stanley P. Fisher, Reg. No. 24,344; Robert D. Knier, Reg. No. 45,908; Juan Carlos A. Marquez, Reg. No. 22,077; Gerald Kiel, Reg. No. 25,116; Eugene LeDoux, Reg. No. 33,930; Jules Goldberg, Reg. No. 24,408; Lloyd McAnuly, Reg. No. 20,423; Merrill Nissen, Reg. No. 17,283; Arthur Dresner, Reg. No. 24,403; Stephen Chin, Reg. No. 39,938; Mark Montague, Reg. No. 34,612; Samir Patel, Reg. No. 44,998 and Mary E. Buckles, Reg. No. 31,907.

Address all telephone calls to Robert D. Knier, Esq. at telephone number (412) 288-4598.

Address all correspondence to: Robert D. Knier, Esq.
Reed Smith LLP
P.O. Box 488
Pittsburgh, PA 15230

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Inventor's Signature

Full name of sole or first inventor

Residence

Citizenship

Post Office Address

Warren B. SOLTIS

United States of America

United States of America

1015 Gassaway Circle

Brentwood, TN 37027

Date: _____

Inventor's Signature

Full name of second inventor

Residence

Citizenship

Post Office Address

Sean P. McKELVIE

United States of America

United States of America

1480 Gould Drive

Memphis, TN 38112

Date: 11-16-2000

Inventor's Signature

Full name of third inventor

Residence

Citizenship

Post Office Address

Date: _____

Reed Smith LLP

P.O. Box 488

Pittsburgh, PA 15230

(412) 288-3131